

## AD 1.6.21 STEFANOVIKION

## AD 1.6.21.1 AERODROME NAME AND INDICATORS

1. Location Indicator	2. Name	3. Grouping Indicator
LGSV	STEFANOVIKION	MIL

## AD 1.6.21.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	392830N 0224700E
2	Direction and distance from (city)	NIL
3	Elevation/Reference temperature	44.51 M (146 FT) / 36° C
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR/Annual change	NIL / NIL
6	AD Administration, address, telephone, telefax, telex, AFS	Hellenic Army Stefanovikion Aerodrome TEL: NIL FAX: NIL AFTN: LGSVYXYX
7	Types of traffic permitted (IFR/VFR)	IFR – VFR
8	Remarks	PPR for civil aircraft. CAA not provided.

## AD 1.6.21.3 OPERATIONAL HOURS

1	AD Administration	HJ (Hellenic Army)
8	ATS	HJ (Hellenic Army)
12	Remarks	Daily SR – SS. On MON – THU 5 HR after SS during scheduled training flights. Rest hours 1 HR PNR.

## AD 1.6.21.4 HANDLING SERVICES AND FACILITIES

NIL

## AD 1.6.21.5 PASSENGER FACILITIES

NIL

## AD 1.6.21.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	NIL
4	Remarks	NIL

## AD 1.6.21.7 SEASONAL AVAILABILITY - CLEARING

NIL

## AD 1.6.21.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

NIL

## AD 1.6.21.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

NIL

## AD 1.6.21.10 AERODROME OBSTACLES

1	In approach/TKOF areas: Obstacle type/ Elevation/ Markings/ LGT	NIL
2	In circling area and at AD: Obstacle type/ Elevation/ Markings/ LGT	NIL
3	Remarks	NIL

**AD 1.6.21.11 METEOROLOGICAL INFORMATION PROVIDED**

NIL

**AD 1.6.21.12 RUNWAY PHYSICAL CHARACTERISTICS**

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	Slope of RWY-SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	Remarks
1	2	3	4	5	6	7	8	9
06	NIL	1600 x 30	SIWL 1500 LB Asphalt	0 %	NIL	NIL	NIL	NIL
24	NIL	1600 x 30	SIWL 1500 LB Asphalt	0 %	NIL	NIL	NIL	

**AD 1.6.21.13 DECLARED DISTANCES**

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
06	NIL	NIL	NIL	NIL	NIL
24	NIL	NIL	NIL	NIL	NIL

**AD 1.6.21.14 APPROACH AND RUNWAY LIGHTING**

RWY Designator	APCH LGT	THR LGT	VASIS (MEHT) PAPI	TDZ, LGT	RWY Centre- line LGT	RWY Edge LGT	RWY End LGT	SWY LGT	Other LGT	Remarks
1	2	3	4	5	6	7	8	9	10	11
06	NIL	Yes	NIL	NIL	NIL	Yes	Yes	NIL	NIL	NIL
24	NIL	Yes	NIL	NIL	NIL	Yes	Yes	NIL		

**AD 1.6.21.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

See column 10 in AD 1.6.21.14 above

**AD 1.6.21.16 HELICOPTER LANDING AREA**

NIL

**AD 1.6.21.17 ATS AIRSPACE**

1	Designation and lateral limits	STEFANOVIKION MIL ATZ A circle, 5 NM radius centred at 392830N 0224700E
2	Vertical limits	MIL ATZ: SFC to 2000 FT ALT.
3	Airspace classification	D
4	ATS unit call sign Language(s)	MIL ATZ: STEFANOVIKION TOWER Greek, English
5	Transition altitude	NIL
6	Remarks	NIL

**AD 1.6.21.18 ATS COMMUNICATION FACILITIES**

Service designation	Call sign	Frequency / VHF CH	Operational hours	Remarks
1	2	3	4	5
TWR	STEFANOVIKION TOWER	132.725 285.150 MHz 343.550 MHz 121.500	HJ HJ HJ HJ	Primary freq Coverage FL 40 / 25NM MIL MIL Emergency
All ATS Communication Facilities under responsibility of Hellenic Army.				

**AD 1.6.21.19 RADIO NAVIGATION AND LANDING AIDS**

Type of aid MAG VAR CAT of ILS/MLS (For VOR/ILS/MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna (ft aMSL)	Remarks
1	2	3	4	5	6	7
STEFANOVIKION VOR	STV	112.90 MHz	HJ	392848.89N 0224623.91E	-	Coverage FL 250 / 40 NM
STEFANOVIKION NDB	STF	420 kHz	HJ	392850N 0224610E*	-	Coverage 30 NM * = Coordinates are NOT in WGS 84
All Radio Navigation and Landing Aids under responsibility of Hellenic Army.						

**AD 1.6.21.20 LOCAL TRAFFIC REGULATIONS****1.6.21.20.1 Airport regulations**

1.6.21.20.1.1 NIL

**AD 1.6.21.21 NOISE ABATEMENT PROCEDURES**

1.6.21.21.1 NIL

**AD 1.6.21.22 FLIGHT PROCEDURES****1.6.21.22.1 General**

1.6.21.22.1.1 NIL

**AD 1.6.21.23 ADDITIONAL INFORMATION**

1.6.21.23.1 NIL

**AD 1.6.21.24 CHARTS RELATED TO AERODROME**

NIL