



Form  
aL 531

ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ  
ΥΠΗΡΕΣΙΑ ΠΟΛΙΤΙΚΗΣ ΑΕΡΟΠΟΡΙΑΣ  
HELLENIC REPUBLIC  
HELLENIC CIVIL AVIATION AUTHORITY  
MEMBER OF EASA  
ΜΕΛΟΣ ΤΗΣ EASA

Αρ.Πρωτ. / Ref.No



# ΑΙΤΗΣΗ

Application Form

ΠΡΟΣ: Την ΥΠΑ, Διεύθυνση Πτητικών Προτύπων, Τμήμα Πτυχιών και Αδειών, Τ.Θ. 70360, ΤΚ 160 10, Γλυφάδα, Ελλάδα  
TO: The HCAA, Flight Standards Division, Licensing Section, P.O. Box 70360, TK 160 10, Glyfada, Greece

## Issue of a Type Rating SP HPCA (Single Pilot High Performance Complex Aeroplane) - FCL.720.A

### 1 Type of application

I apply for the issue of:  SP  PIC  MP (crew) Ops  COPI A/C Type: \_\_\_\_\_

according to Commission Regulation (EU) No 1178/2011 Part-FCL, FCL.740A and Part-FCL Appendix 9.

REPETITION OF PARTIAL PASSED SKILL TEST from date: \_\_\_\_\_  
 REPETITION OF FAILED SKILL TEST

### 2 Applicant

Όνομα: Name:	Επώνυμο: Surname:	Όνομα Πατρός: Father's Name:	
Οδός: Street:	Τοποθεσία / Πόλη: Place / City:	ΤΚ: Post code:	Χώρα: Country:
A.Δ.Τ. ή Διαβατηρίου: ID or Passport Number:	Νο τηλ: Tel No:	Κινητό: Mobile:	
Ηλεκτρονικό Ταχυδρομείο: email:	Χώρα έκδοσης, Είδος & Νο Πτυχίου: Country, Type & No of License held:		
Ημερομηνία Γεννήσεως: Date of Birth:	Τόπος Γεννήσεως: Place of Birth:	Ιθαγένεια: Nationality:	Υπηκοότητα: Citizenship:

#### ΥΠΕΥΘΥΝΗ ΔΗΛΩΣΗ:

#### DECLARATION:

A. Με ατομική μου ευθύνη και γνωρίζοντας τις κυρώσεις <sup>(1)</sup>, που προβλέπονται από τις διατάξεις της παρ. 6 του άρθρου 22 του Ν.1599/1986, δηλώνω ότι τα περιεχόμενα στην παρούσα αίτηση μου στοιχεία είναι ακριβή <sup>(2)</sup> και αληθή <sup>(3)</sup> και έχω πληρώσει τα αντίστοιχα τέλη.

#### ΣΗΜΕΙΩΣΗ:

<sup>(1)</sup> «Όποιος εν γνώσει του δηλώνει ψευδή γεγονότα ή αρνείται ή αποκρύπτει τα αληθινά με την έγγραφη υπεύθυνη δήλωση του άρθρου 8, τιμωρείται με φυλάκιση τουλάχιστον τριών μηνών. Εάν ο υπαίτιος αυτών των πράξεων σκόπευε να προσπορίσει στον εαυτό του ή σε άλλον περιουσιακό όφελος βλάπτοντας τρίτον ή σκόπευε να βλάψει άλλον, τιμωρείται με κάθειρξη μέχρι 10 ετών.

<sup>(2)</sup> Η ακρίβεια των στοιχείων που υποβάλλονται με αυτή τη δήλωση μπορεί να ελεγχθεί με βάση το αρχείο άλλων υπηρεσιών (άρθρο 8 παρ. 4 Ν. 1599/1986).

<sup>(3)</sup> Οιαδήποτε ψευδής παρουσίαση ή δήλωση ή απόκρυψη πληροφοριών στην παραπάνω αίτηση θα έχει ως συνέπεια την απόρριψή της, την ποινική δίωξη των υπευθύνων κατά το άρθρο 42 ή 220 του Ποινικού Κώδικα και την ανάκληση από την ΥΠΑ οποιουδήποτε ισχύοντος αεροπορικού Πτυχίου ή Πιστοποιητικού Υγείας.

On my own responsibility and knowing the presumable penalties <sup>(1)</sup>, by the paragraph 6 of the article 22 of the N.1599/1986, I declare that the included elements in my present application are accurate <sup>(2)</sup> and true <sup>(3)</sup> and I have paid the applicable fees.

#### NOTE:

<sup>(1)</sup> "Whoever, under his own knowledge, declares untrue facts or denies or withholds the true facts within his/her written declaration under the article 8, he/she will be punished with imprisonment of at least three months. If the responsible of these actions intended, for his own benefit or other's benefit, to draw financial profit harming third person or he/she intended to harm other, he/she will be punished with imprisonment for a term up to 10 years.

<sup>(2)</sup> The accuracy of the elements that are submitted with this declaration can be checked on the basis of a check into other agency's archives (article 8 paragraphs 4 N.1599/1986).

<sup>(3)</sup> Any untrue presentation or declaration or dissimulation of information within the above application will have as a consequence its rejection, the penal prosecution of responsible persons according to the article 42 or 220 of the Penal Code and the revocation of every valid aviation license or Medical Certificate by the Hellenic CAA.

B. Ο Ευρωπαϊκός Κανονισμός (EU) No. 1178/2011 όπως τροποποιήθηκε, απαιτεί όπως η διαχείριση όλων των αδειών/πτυχιών του ενδιαφερομένου να πραγματοποιείται από την Αρμόδια Αρχή (ΥΠΑ), η οποία κατέχει και τα ιατρικά δεδομένα αυτού. (Part MED. A.030 and Part FCL. 015)

Εάν τα ιατρικά δεδομένα δεν βρίσκονται στην Ελληνική Υπηρεσία Πολιτικής Αεροπορίας, η αίτηση θα εκκρεμεί έως την ενημέρωση των αντιστοιχών φακέλων του αιτούντος.

European Commission Regulation (EU) No 1178/2011 as amended, requires that an individual keeps all his/her licenses administered by the competent authority (HCAA) that holds his/her medical records. (Part MED A. 030 and Part FCL. 015)

If the medical records of the applicant are not held by the HCAA, his/her application will be pending until the updates of his/her files.

Τόπος: Place:	Ημερομηνία: Date:	Υπογραφή αιτούντος: Signature of Applicant:
------------------	----------------------	--

#### ΧΡΗΣΗ ΜΟΝΟ ΑΠΟ ΤΗΝ ΥΠΑ, ΠΑΡΑΤΗΡΗΣΕΙΣ (HCAA USE ONLY, REMARKS)

Inspecting Officer	Aviation Safety Inspector	Head of Licensing Section	Director of Flight Standards Division
--------------------	---------------------------	---------------------------	---------------------------------------

### 3 Payment methods

Όλα τα τέλη πρέπει να προπληρωθούν. Παράλειψη συμμόρφωσης θα έχει σαν αποτέλεσμα την επιστροφή της αίτησής σας και την τελική απόρριψή της.  
*All fees must be paid in advance; failure to do so will cause the rejection of your application.*  
 Τα τέλη για τα πτυχία, τις σχετιζόμενες ικανότητες και αξιολογήσεις, περιλαμβάνονται στην πιο πρόσφατη Διυπουργική Απόφαση Τελών.  
*The fees for licenses, associated ratings and assessments are contained in the latest Interministerial Decision of Charges.*

Συμπληρώστε τα Νούμερα των Ισχυόντων Παραβόλων ή e-Παραβόλων του Δημοσίου  
 Fill in the Numbers of the valid Fees or e-Fees of the State


### 4 Confirmation of the *theoretical training* by the ATO

Από (Ημ/νία)  
From (Date)

Έως (Ημ/νία)  
Until (Date)

Προϊστάμενος Εκπαίδευσης(Όνομ/μο)  
Head of Training (Full Name)

ATO (Αριθμός Έγκρισης)  
ATO (Approval Number)

Υπογραφή του Προϊστάμενου Εκπαίδευσης & Σφραγίδα ATO  
Signature of Head of Training and Seal of ATO

Ο Προϊστάμενος της Εκπαίδευσης επιβεβαιώνει ότι η εκπαίδευση έγινε σε συμμόρφωση με τις διατάξεις του Part-FCL και των εγκεκριμένων εγχειριδίων εκπαίδευσης, και ότι ο αιτών κατέχει όλες τις σχετικές θεωρητικές γνώσεις για να συμμετάσχει στη θεωρητική εξέταση.  
*The Head of Training confirms that the training was performed in compliance with the provision of Part-FCL and the approved training manuals, and that the applicant possesses all relevant theoretical knowledge to take the theoretical examination.*

### 5 Confirmation of the *flight training* by the ATO

Από (Ημ/νία)  
From (Date)

Έως (Ημ/νία)  
Until (Date)

Προϊστάμενος Εκπαίδευσης(Όνομ/μο)  
Head of Training (Full Name)

ATO (Αριθμός Έγκρισης)  
ATO (Approval Number)

Υπογραφή του Προϊστάμενου Εκπαίδευσης & Σφραγίδα ATO  
Signature of Head of Training and Seal of ATO

Ο Προϊστάμενος της Εκπαίδευσης επιβεβαιώνει ότι η εκπαίδευση έγινε σε συμμόρφωση με τις διατάξεις του Part-FCL και των εγκεκριμένων εγχειριδίων εκπαίδευσης, και ότι ο αιτών κατέχει όλες τις σχετικές γνώσεις και δεξιότητες για να συμμετάσχει στην δοκιμασία δεξιοτήτων στον παρακάτω Τύπο α/φους :  
*The Head of Training confirms that the training has been performed in compliance with Part-FCL and the approved training manuals, and that the applicant possesses all relevant knowledge and skills to take the skill test on the following Type:*

### 6 Attached documents

ATTACHED DOCUMENTS (Mandatory - Please tick ✓)	REQUIREMENTS	FILLED BY ATO	EXAMINER CHECK	HCAA ONLY
Certificate ATO (Non Hellenic)	<input type="checkbox"/> Certificate (copy)	<i>(In case of an Hellenic ATO it must have been endorsed in the Approval Certificate attachment)</i>	<input type="checkbox"/>	<input type="radio"/>
Certificate FSTD (Non Hellenic)	<input type="checkbox"/> Certificate (copy)		<input type="checkbox"/>	<input type="radio"/>
Certificate TRI/SFI (Non Hellenic)	<input type="checkbox"/> Certificate (copy)		<input type="checkbox"/>	<input type="radio"/>
Document of identification	<input type="checkbox"/> Copy		<input type="checkbox"/>	<input type="radio"/>
Pilot License		License: _____	<input type="checkbox"/>	<input type="radio"/>
Hellenic EASA Medical Certificate	Class 1	Valid until: _____	<input type="checkbox"/>	<input type="radio"/>
Logbook filled and signed	<input type="checkbox"/> Logbook & copies of relevant pages for verification	Total Hours: _____	<input type="checkbox"/>	<input type="radio"/>
Completion Certificate for the full training courses by the ATO	<input type="checkbox"/> Original Document		<input type="checkbox"/>	<input type="radio"/>
Confirmation of payment of the required fees	(see #3: payment methods)	Please fill correctly the original receipt's number on #3 above	<input type="checkbox"/>	<input type="radio"/>

## 7 Summary of knowledge and flight experience before the skill test is taken

PRE-REQUISITES	REQUIREMENTS	FILLED BY ATO	EXAMINER CHECK	HCAA ONLY
<b>1) Experience:</b>				
a) PIC aeroplanes	min. 70 hours	Hours: _____	<input type="checkbox"/>	<input type="radio"/>
b) Total	min. 200 hours	Hours: _____	<input type="checkbox"/>	<input type="radio"/>
c) Multi-engine IR(A)	Hold	Valid until: _____	<input type="checkbox"/>	<input type="radio"/>
<b>2) Theoretical Knowledge:</b>				
a) Additional Theoretical Knowledge instruction by ATO	Certificate	Date: _____ Rate: _____	<input type="checkbox"/>	<input type="radio"/>
<b>or</b>			<b>or</b>	<b>or</b>
b) ATPL(A) theoretical knowledge conform Part-FCL	Passed	Date: _____	<input type="checkbox"/>	<input type="radio"/>
<b>or</b>			<b>or</b>	<b>or</b>
c) ATPL(A) or CPL(A)/IR with theoretical knowledge credit for ATPL(A)*	Hold	Date: _____	<input type="checkbox"/>	<input type="radio"/>
<b>3) For Multi Pilot (Crew) Operations</b>				
a) MCC(A) course	Certificate	Certificate date: _____	<input type="checkbox"/>	<input type="radio"/>
<b>or</b>			<b>or</b>	<b>or</b>
b) MCC(H) and	Certificate	Certificate date: _____	<input type="checkbox"/>	<input type="radio"/>
i) MPH hours	min. 100 hours	Hours: _____	<input type="checkbox"/>	<input type="radio"/>
<b>or</b>			<b>or</b>	<b>or</b>
c) MPH hours	min. 500 hours	Hours: _____	<input type="checkbox"/>	<input type="radio"/>
<b>or</b>			<b>or</b>	<b>or</b>
d) Pilot MP (Crew) operations on SPA multi-engine, in CAT	min. 500 hours	Hours: _____	<input type="checkbox"/>	<input type="radio"/>

INITIAL TRAINING TR	REQUIREMENTS	FILLED BY ATO	EXAMINER CHECK	HCAA ONLY
<b>1) Theoretical examination for TR</b>				
a) within 6 months prior skill test		Mark obtained: _____ Date: _____	<input type="checkbox"/>	<input type="radio"/>
<b>2) FSTD training</b>				
a) FFS		Hours: _____	<input type="checkbox"/>	<input type="radio"/>
b) FTD		Hours: _____	<input type="checkbox"/>	<input type="radio"/>
c) OTD		Hours: _____	<input type="checkbox"/>	<input type="radio"/>
<b>3) Landing training</b>				
a) Aeroplane	(6 landings for initial Multi-Pilot (Crew) Ops (A) rating, 4 for further ratings with >500 Multi-Pilot (Crew) Ops (A) hours)	No Landings: 6 <input type="checkbox"/> or 4 <input type="checkbox"/>	<input type="checkbox"/>	<input type="radio"/>

**NOTE:**

The applicant shall pass the skill test within a period of 6 months after commencement of the type rating training course and within a period of 6 months preceding the application for the issue of the type rating.

**Privileges of a type rating may be initially limited to flight under the supervision of an instructor.**

The flight hours under supervision shall be entered in the pilot's logbook or equivalent record and signed by the instructor. The limitation shall be removed when the pilot demonstrates that the hours of flight under supervision required by the operational suitability data have been completed.

\* **FCL.720.A (b)(2)(iii)** hold, in addition to a license issued in accordance with this Part, an ATPL(A) or CPL(A)/IR with theoretical knowledge credit for ATPL(A), issued in accordance with Annex 1 to the Chicago Convention.

**ΥΠΟΨΗΦΙΟΣ  
APPLICANT**

ΟΝΟΜΑ FIRST NAME	ΕΠΙΘΕΤΟ LAST NAME	ΗΜΕΡΟΜΗΝΙΑ ΓΕΝΝΗΣΗΣ DATE OF BIRTH	ΤΟΠΟΣ ΓΕΝΝΗΣΗΣ PLACE OF BIRTH

**ΠΡΟΤΑΣΗ ΓΙΑ SKILL TEST  
RECOMMENDED FOR SKILL TEST**

ΟΝΟΜΑ ΕΚΠΑΙΔΕΥΤΗ FIRST NAME	ΕΠΙΘΕΤΟ ΕΚΠΑΙΔΕΥΤΗ LAST NAME	ΝΟΥΜΕΡΟ ΕΚΠΑΙΔΕΥΤΗ INSTRUCTOR'S NUMBER

**ΕΞΕΤΑΣΤΗΣ  
EXAMINER**

ΟΝΟΜΑ FIRST NAME	ΕΠΙΘΕΤΟ LAST NAME	ΝΟΥΜΕΡΟ ΕΞΕΤΑΣΤΗ EXAMINER'S NUMBER	ΘΕΣΗ ΤΟΥ ΕΞΕΤΑΣΤΗ ΣΤΟ Α/ΦΟΣ EXAMINER'S AIRCRAFT SEAT			
			<table border="1"> <tr> <td>Δεξιά Right <input type="checkbox"/></td> <td>Αριστερή Left <input type="checkbox"/></td> <td>Πίσω Rear <input type="checkbox"/></td> </tr> </table>	Δεξιά Right <input type="checkbox"/>	Αριστερή Left <input type="checkbox"/>	Πίσω Rear <input type="checkbox"/>
Δεξιά Right <input type="checkbox"/>	Αριστερή Left <input type="checkbox"/>	Πίσω Rear <input type="checkbox"/>				

**ΑΕΡΟΣΚΑΦΟΣ  
AIRCRAFT**

ΤΥΠΟΣ/ΠΑΡΑΛΛΑΓΗ TYPE/VARIANT	ΧΑΡΑΚΤΗΡΙΣΤΙΚΟ ΚΛΗΣΕΩΣ REGISTRATION

**FSTD  
- IF APPLICABLE**

ΤΥΠΟΣ/ΠΑΡΑΛΛΑΓΗ TYPE/VARIANT	FSTD - ID	FFS Level	FSTD OPERATOR	LOCATION

**ΛΕΠΤΟΜΕΡΕΙΕΣ ΤΗΣ ΠΤΗΣΗΣ  
FLIGHT DETAILS**

ΗΜΕΡΟΜΗΝΙΑ ΤΗΣ ΕΞΕΤΑΣΗΣ DATE OF TEST	ΧΡΟΝΟΣ ΣΤΑ ΧΕΙΡΙΣΤΗΡΙΑ TIME ON CONTROLS	ΑΡΙΘΜΟΣ ΠΡΟΣΓΕΙΩΣΕΩΝ NUMBER OF LANDINGS	ΑΡΙΘΜΟΣ ΠΡΟΣΕΓΓΙΣΕΩΝ NUMBER OF APPROACHES

**ΣΚΕΛΟΣ Νο1  
LEG No1**

BLOCK-OFF	ΑΝΑΧΩΡΗΣΗ / DEPARTURE	ΠΡΟΟΡΙΣΜΟΣ / DESTINATION	BLOCK-ON

**ΣΚΕΛΟΣ Νο2  
LEG No2**

BLOCK-OFF	ΑΝΑΧΩΡΗΣΗ / DEPARTURE	ΠΡΟΟΡΙΣΜΟΣ / DESTINATION	BLOCK-ON

SINGLE-PILOT HIGH PERFORMANCE COMPLEX AEROPLANES	PRACTICAL TRAINING					TYPE RATING SKILL TEST			
	Manoeuvres/Procedures	OTD	FTD	FFS	A	Instructors initials & date training completed	Checked in FFS A	Attempt Number (1 or 2)	Examiners initials & date test completed
<b>SECTION 1</b>									
<b>1 Flight preparation</b>									
1.1 Performance calculation	P								
1.2 Aeroplane external visual inspection; location of each item and purpose of inspection	P#			P					
1.3 Cockpit inspection		P→	→	→					
1.4 Use of checklist prior to starting engines, starting procedures, radio and navigation equipment check, selection and setting of navigation and communication frequencies	P→	→	→	→		M			
1.5 Taxiing in compliance with air traffic control or instructions of instructor			P→	→					
1.6 Before take-off checks		P→	→	→		M			
<b>SECTION 2</b>									
<b>2 Take-offs</b>									
2.1 Normal take-offs with different flap settings, including expedited take-off			P→	→					
2.2* Instrument take-off; transition to instrument flight is required during rotation or immediately after becoming airborne			P→	→					
2.3 Crosswind take-off			P→	→					
2.4 Take-off at maximum take-off mass (actual or simulated maximum take-off mass)			P→	→					
<b>2.5 Take-offs with simulated engine failure:</b>									
2.5.1* <u>shortly after reaching V2</u> (see note)			P→	→					
<b>Note:</b> In aeroplanes which are not certificated as transport category or commuter category aeroplanes, the engine failure shall not be simulated until reaching a minimum height of 500 ft above runway end. In aeroplanes having the same performance as a transport category aeroplane regarding take-off mass and density altitude, the instructor may simulate the engine failure shortly after reaching V2)									
2.5.2* <u>between V1 and V2</u>			P	X			M FFS only		
2.6 Rejected take-off at a reasonable speed before reaching V1			P→	→X			M		
<b>SECTION 3</b>									
<b>3 Flight Manoeuvres and Procedures</b>									
3.1 Turns with and without spoilers			P→	→					
3.2 Tuck under and Mach buffets after reaching the critical Mach number, and other specific flight characteristics of the aeroplane (e.g. Dutch Roll) An aircraft may not be used for this exercise			P→	→X An aircraft may not be used					
3.3 Normal operation of systems and controls engineer's panel	P→	→	→	→					

Τόπος:  
Place:

Ημερομηνία:  
Date:

Υπογραφή Εξεταστή:  
Examiner's Signature:

SINGLE-PILOT HIGH PERFORMANCE COMPLEX AEROPLANES	PRACTICAL TRAINING					TYPE RATING SKILL TEST			
	Manoeuvres/Procedures	OTD	FTD	FFS	A	Instructors initials & date training completed	Checked in FFS A	Attempt Number (1 or 2)	Examiners initials & date test completed
<b>Normal and abnormal operations of following systems:</b>							<b>M</b>	<b>A mandatory minimum of 3 abnormal shall be selected from 3.4.0 to 3.4.14 inclusive</b>	
3.4.0 Engine (if necessary propeller)	P→	→	→	→					
3.4.1 Pressurisation and air-conditioning	P→	→	→	→					
3.4.2 Pitot/static system	P→	→	→	→					
3.4.3 Fuel system	P→	→	→	→					
3.4.4 Electrical system	P→	→	→	→					
3.4.5 Hydraulic system	P→	→	→	→					
3.4.6 Flight control and Trim-system	P→	→	→	→					
3.4.7 Anti-icing/de-icing system, Glare shield heating	P→	→	→	→					
3.4.8 Autopilot/Flight director	P→	→	→	→			M (single-pilot only)		
3.4.9 Stall warning devices or stall avoidance devices, and stability augmentation devices	P→	→	→	→					
3.4.10 Ground proximity warning system, weather radar, radio altimeter, transponder		P→	→	→					
3.4.11 Radios, navigation equipment, instruments, flight management system	P→	→	→	→					
3.4.12 Landing gear and brake	P→	→	→	→					
3.4.13 Slat and flap system	P→	→	→	→					
3.4.14 Auxiliary power unit	P→	→	→	→					
<b>3.6 Abnormal and emergency procedures:</b>							<b>M</b>	<b>A mandatory minimum of 3 items shall be selected from 3.6.1 to 3.6.9 inclusive</b>	
3.6.1 Fire drills, e.g. engine, APU, cabin, cargo compartment, flight deck, wing and electrical fires including evacuation		P→	→	→					
3.6.2 Smoke control and removal		P→	→	→					
3.6.3 Engine failures, shutdown and restart (the limits acc. FEM have to be observed)		P→	→	→					
3.6.4 Fuel dumping (simulated)		P→	→	→					
3.6.5 Wind shear at take-off/landing			P	X			FFS only		
3.6.6 Simulated cabin pressure failure/emergency descent			P→	→					
3.6.7 Incapacitation of flight crew member		P→	→	→					
3.6.8 Other emergency procedures as outlined in the appropriate Aeroplane Flight Manual		P→	→	→					
3.6.9 ACAS event	P→	→	→	An aircraft may not be used			FFS only		

Τόπος:  
Place:

Ημερομηνία:  
Date:

Υπογραφή Εξεταστή:  
Examiner's Signature:

SINGLE-PILOT HIGH PERFORMANCE COMPLEX AEROPLANES	PRACTICAL TRAINING					TYPE RATING SKILL TEST			
	Manoeuvres/Procedures	OTD	FTD	FFS	A	Instructors initials & date training completed	Checked in FFS A	Attempt Number (1 or 2)	Examiners initials & date test completed
3.7 Steep turns with 45° bank, 180° to 360° left and right		P→	→	→					
3.8 Early recognition and counter measures on approaching stall (up to activation of stall warning device) in take-off configuration (flaps in take-off position), in cruising flight configuration and in landing configuration (flaps in landing position, gear extended)			P→	→					
3.8.1 Recovery from full stall or after activation of stall warning device in climb, cruise and approach configuration			P	X					
<b>3.9 Instrument flight procedures</b>									
3.9.1* Adherence to departure and arrival routes and ATC instructions		P→	→	→		M			
3.9.2* Holding procedures		P→	→	→					
<b>3.9.3* Precision approaches down to a decision height (DH) not less than 60 m (200 ft)</b>									
3.9.3.1* manually, without flight director			P→	→		M (skill test only)			
3.9.3.2* manually, with flight director			P→	→					
3.9.3.3* with autopilot			P→	→					
3.9.3.4* manually, with one engine simulated inoperative; engine failure has to be simulated during final approach before passing the outer marker (OM) until touchdown or through the complete missed approach procedure.			P→	→		M			
<b>Note:</b> In aeroplanes which are not certificated as CS 25 transport category aeroplanes (or equivalent airworthiness code - JAR/FAR 25) or as commuter category aeroplanes (SFAR 23), the approach with simulated engine failure and the ensuing go-around shall be initiated in conjunction with the non-precision approach as described in 3.9.4. The go-around shall be initiated when reaching the published obstacle clearance height (OCH/A), however not later than reaching a minimum descent height/altitude (MDH/A) of 500 ft above runway threshold elevation. In aeroplanes having the same performance as a transport category aeroplane regarding take-off mass and density altitude, the instructor may simulate the engine failure in accordance with 3.9.3.4.									
3.9.4* Non-precision approach down to the MDH/A			P*→	→		M			
3.9.5 Circling approach under following conditions:  (a)* approach to the authorised minimum circling approach altitude at the aerodrome in question in accordance with the local instrument approach facilities in simulated instrument flight conditions; followed by:  (b) circling approach to another runway at least 90° off centreline from final approach used in item (a), at the authorised minimum circling approach altitude.  Remark: if (a) and (b) are not possible due to ATC reasons, a simulated low visibility pattern may be performed.			P*→	→					

Τόπος:  
Place:

Ημερομηνία:  
Date:

Υπογραφή Εξεταστή:  
Examiner's Signature:

Continued

SINGLE-PILOT HIGH PERFORMANCE COMPLEX AEROPLANES	PRACTICAL TRAINING				TYPE RATING SKILL TEST				
	Manoeuvres/Procedures	OTD	FTD	FFS	A	Instructors initials & date training completed	Checked in FFS A	Attempt Number (1 or 2)	Examiners initials & date test completed
<b>SECTION 4</b>									
<b>4 Missed Approach Procedures</b>									
4.1 Go-around with all engines operating* after an ILS approach on reaching decision height			P*→	→					
4.2 Other missed approach procedures			P*→	→					
4.3* Manual go-around with the critical engine simulated inoperative after an instrument approach on reaching DH, MDH or MAPt			P*→	→		M			
4.4 Rejected landing at 15m (50ft) above runway threshold and go-around			P→	→					
<b>SECTION 5</b>									
<b>5 Landings</b>									
5.1 Normal landings* also after an ILS approach with transition to visual flight on reaching DH			P						
5.2 Landing with simulated jammed horizontal stabiliser in any out-of-trim position			P→	An aircraft may not be used					
5.3 Crosswind landings (a/c, if practicable)			P→	→					
5.4 Traffic pattern and landing without extended or with partly extended flaps and slats			P→	→					
5.5 Landing with critical engine simulated inoperative			P→	→		M			
5.6 Landing with two engines inoperative: <b>(Not 2 engine aircraft)</b>  - aeroplanes with 3 engines: the centre engine and 1 outboard engine as far as practicable according to data of the AFM,  - aeroplanes with 4 engines: 2 engines at one side			P	X		M FFS Only (skill test only)			

Τόπος:  
Place:Ημερομηνία:  
Date:Υπογραφή Εξεταστή:  
Examiner's Signature:



Continued

SINGLE-PILOT HIGH PERFORMANCE COMPLEX AEROPLANES	PRACTICAL TRAINING				TYPE RATING SKILL TEST				
	Manoeuvres/Procedures	OTD	FTD	FFS	A	Instructors initials & date training completed	Checked in FFS A	Attempt Number (1 or 2)	Examiners initials & date test completed
<b>SECTION 6</b>									
<i>General remarks:</i>									
<i>Special requirements for extension of a type rating for instrument approaches down to a decision height of less than 200 feet (60 m), i.e. Cat II/III operations.</i>									
<b><u>Additional authorisation on a type rating for instrument approaches down to a decision height of less than 60 m (200 ft) (CAT II/III).</u></b>									
<b>The following manoeuvres and procedures are the minimum training requirements to permit instrument approaches down to a DH of less than 60 m (200 ft). During the following instrument approaches and missed approach procedures all aeroplane equipment required for type certification of instrument approaches down to a DH of less than 60 m (200 ft) shall be used.</b>									
6.1* <b>Rejected take-off</b> at minimum authorised RVR			P*→	→X An aircraft may not be used			M*		
6.2* <b>ILS approaches:</b> in simulated instrument flight conditions down to the applicable DH, using flight guidance system. Standard procedures of crew coordination (task sharing, call out procedures, mutual surveillance, information exchange and support) shall be observed			P→	→			M		
6.3* <b>Go-around:</b> after approaches as indicated in 6.2 on reaching DH. The training shall also include a go-around due to (simulated) insufficient RVR, wind shear, aeroplane deviation in excess of approach limits for a successful approach, and ground/airborne equipment failure prior to reaching DH and, go-around with simulated airborne equipment failure.			P→	→			M*		
6.4* <b>Landing(s):</b> with visual reference established at DH following an instrument approach. Depending on the specific flight guidance system, an automatic landing shall be performed			P→	→			M		

**Note:** CAT II/III operations shall be accomplished in accordance with the applicable air operations requirements.

Τόπος:  
Place:

Ημερομηνία:  
Date:

Υπογραφή Εξεταστή:  
Examiner's Signature:

**RESULTS OF THE SKILL TEST SECTIONS**

„P“ - passed	1	2	3	4	5	6*
„F“ - failed						

**REMARKS**

**\*6. (IFR Cat II/III) - Specify Cat for license endorsement (if applicable):** \_\_\_\_\_

IR(A): \_\_\_\_\_ Expired date: \_\_\_\_\_

TR(SPA): \_\_\_\_\_ Expired date: \_\_\_\_\_

TR(MPOps): \_\_\_\_\_ Expired date: \_\_\_\_\_

 PASSED

 PARTIALLY PASSED

 FAILED

Υπογραφή Εξεταστή  
Signature of Examiner

Αναγνώριση αποτελέσματος-Υπογραφή Αιτούντος  
Recognition test result-Signature of Applicant


**11 National Procedure Declaration – Only for NON-HCAA EXAMINERS (To be completed by the examiner)**

I hereby declare that I, \* \_\_\_\_\_, have reviewed and applied the relevant national procedures and requirements of the applicant's competent Authority (HCAA- www.ypa.gr-Foreign Examiners) contained in version\*\* \_\_\_\_\_ of the Examiner Differences Document.

\* Name of Examiner

\*\* Insert document version, i.e.: 06-2015

Date: \_\_\_\_\_ Signature of Examiner: \_\_\_\_\_

**12 The landing training has been performed as follows:**
 **A/C (see Section 7 (INITIAL TRAINING TR – 3.a) Landing training - info - of this form)**

Type/Variant

Registration

Date of Training

Time on Controls

Number of Landings

& Aerodromes

Number of Approaches

& Aerodromes

Instructor's First Name

Instructor's Last Name

Instructor's Signature

If Base flight is done by Non Hellenic Operators, Certificate/another document in attachment signed by the Key Personnel confirming the flight data in "12" above.

**PASS MARKS**

In the case of **multi-pilot and single-pilot high performance complex aeroplanes**, the applicant shall pass all sections of the skill test or proficiency check. Failure of more than five items will require the applicant to take the entire test or check again. Any applicant **failing five or less items shall take the failed items again**. Failure in any item on the re-test or re-check including those items that have been passed at a previous attempt **will require the applicant to take the entire check or test again**. Section 6 is not part of the ATPL or MPL skill test. If the applicant only fails or does not take section 6, the type rating will be issued without CAT II or CAT III privileges. **To extend the type rating privileges to CAT II or CAT III, the applicant shall pass the section 6 on the appropriate type of aircraft.**

**FLIGHT TEST TOLERANCE**

The applicant shall demonstrate the ability to:

- operate the aeroplane within its limitations;
- complete all manoeuvres with smoothness and accuracy;
- exercise good judgement and airmanship;
- apply aeronautical knowledge;
- maintain control of the aeroplane at all times in such a manner that the successful outcome of a procedure or manoeuvre is always assured;
- understand and apply crew coordination and incapacitation procedures, if applicable and
- communicate effectively with the other crew members, if applicable.

The following limits shall apply, corrected to make allowance for turbulent conditions and the handling qualities and performance of the aeroplane used:

**Height**

Generally	± 100 feet
Starting a go-around at decision height	+ 50 feet/- 0 feet
Minimum descent height/altitude	+ 50 feet/- 0 feet

**Tracking**

on radio aids ± 5°

**Precision approach** half scale deflection, azimuth and glide path

**Heading**

all engines operating ± 5°

with simulated engine failure ± 10°

**Speed**

all engines operating ± 5 knots

with simulated engine failure + 10 knots/- 5 knots

**CONTENTS OF THE SKILL TEST/PROFICIENCY CHECK**

a) The following symbols mean:

- P = **Trained as PIC or Co-pilot and as PF and PNF** for the issue of a type rating as applicable  
 X = Simulators shall be used for this exercise, if available; otherwise an aircraft shall be used if appropriate for the manoeuvre or procedure  
 P# = The training shall be complemented by supervised aeroplane inspection

b) The practical training shall be conducted at least at the training equipment level shown as (P), or may be conducted up to any higher equipment level shown by the arrow →

The following abbreviations are used to indicate the training equipment used:

A	=	Aeroplane
FFS	=	Full Flight Simulator
FTD	=	Flight Training Device
OTD	=	Other Training Device

c) The starred items (\*) shall be flown solely by reference to instruments. If this condition is not met during the skill test or proficiency check, the type rating will be restricted to VFR only.

d) Where the letter 'M' appears in the skill test or proficiency check column this will indicate the mandatory exercise.

e) **An FFS shall be used for practical training and testing if the FFS forms part of an approved type rating course.** The following considerations will apply to the approval of the course:

- the qualification of the FFS or FNPT II;
- the qualifications of the instructors;**
- the amount of FFS or FNPT II training provided on the course; and
- the qualifications and previous experience on similar types of the pilot under training.

f) Manoeuvres and procedures shall **include MCC for multi-pilot aeroplane and for single-pilot high performance complex aeroplanes in multi-pilot operations.**

g) **Manoeuvres and procedures shall be conducted in single-pilot role for single-pilot high performance complex aeroplanes in single-pilot operations.**

**h) In the case of single-pilot high performance complex aeroplanes, when a skill test or proficiency check is performed in multi-pilot operations, the type rating shall be restricted to multi-pilot operations. If privileges of single-pilot are sought, the manoeuvres/procedures in 2.5, 3.9.3.4, 4.3, 5.5 and at least one manoeuvre/procedure from section 3.4 have to be completed in addition as single-pilot.**

i) In case of a restricted type rating issued in accordance with **FCL.720.A(e)**, the applicants shall fulfill the same requirements as other applicants for the type rating except for the practical exercises relating to the take-off and landing phases.